

Vaccum Fixed (from 1pF to 2500pF)

Model	Capacitance		Voltage			Nominal Dimensions				Torque
	Max	Min	Peak Test	Peak Working	Current Amps	Inches		Millimeters		In.-lbs
Number						Length	Diameter	Length	Diameter	Maximum
CKT-6-0035	6	6	35	25	47	6.5	2.32	165.1	58.9	0
CFHD-12-45S	12	12	45	27	90	5.18	2.44	131.60	62.00	null
CFHD-12-50S	12	12	50	30	95	5.18	2.44	131.60	62.00	null
CFHD-12-55S	12	12	55	33	95	5.18	2.44	131.60	62.00	null
CFHD-12-60S	12	12	60	36	95	5.18	2.44	131.60	62.00	null
CKT-12-0035	12	12	35	25	52	6.5	2.32	165.1	58.9	0
CFHD-18-45S	18	18	45	27	105	5.18	2.44	131.60	62.00	null
CFHD-18-50S	18	18	50	30	110	5.18	2.44	131.60	62.00	null
CFHD-18-55S	18	18	55	33	115	5.18	2.44	131.60	62.00	null
CFHD-18-60S	18	18	60	36	120	5.18	2.44	131.60	62.00	null
CFHD-20-45D2762	20	20	45	27	105	5.30	2.80	133.30	71.40	null
CFHD-20-50D2762	20	20	50	30	110	5.30	2.80	133.30	71.40	null
CFHD-20-55D2762	20	20	55	33	115	5.30	2.80	133.30	71.40	null
CFHD-20-60D2762	20	20	60	36	120	5.30	2.80	133.30	71.40	null
CFHD-25-45S	25	25	45	27	100	5.18	2.44	131.60	62.00	null
CFHD-25-50S	25	25	50	30	110	5.18	2.44	131.60	62.00	null
CFHD-25-55S	25	25	55	33	115	5.18	2.44	131.60	62.00	null
CFHD-25-60	25	25	60	36	120	5.18	2.44	131.60	62.00	null
CKT-25-0035	25	25	35	25	67	6.5	2.32	165.1	58.9	0
CKTI-25-0025	25	25	25	15	50	4.5	2.68	114.0	68.0	0
CFHD-40-45D2757	40	40	45	24	100	5.30	2.8	133.30	71.40	null
CFHD-40-50D2757	40	40	50	27	110	5.30	2.80	133.30	71.40	null
CFHD-40-55D2757	40	40	55	30	115	5.30	2.80	133.30	71.40	null
CFHD-40-60D2757	40	40	60	36	120	5.3	2.8	133.3	71.4	null
CFHD-50-45S	50	50	45	27	125	5.18	2.44	131.60	62.00	null
CFHD-50-50S	50	50	50	30	130	5.18	2.11	131.60	62.00	null
CFHD-50-55S	50	50	55	33	135	5.18	2.44	131.60	62.00	null
CFHD-50-60S	50	50	60	36	140	5.18	2.44	131.60	62.00	null
CKT-50-0035	50	50	35	25	77	6.5	2.35	165.1	58.9	0
CKTI-50-0025	50	50	25	15	60	4.5	2.68	114.0	68.0	0
CFED-75-20S	75	null	20	12	90	3.47	2.44	88.1	62	null
CFED-75-25S	75	75	25	15	95	3.47	2.44	88.1	62	null
CFED-75-30S	75	75	30	18	100	3.47	2.44	88.1	62	null
CFHD-75-45S	75	75	45	27	130	5.12	3.44	130.10	87.38	null
CFHD-75-50S	75	75	50	30	135	5.12	3.44	130.1	87.38	null
CFHD-75-55S	75	75	55	33	140	5.12	3.44	130.1	87.38	null
CFHD-75-60S	75	75	60	36	145	5.12	3.44	130.1	8738	null
CKT-75-0035	75	75	35	25	82	6.5	2.32	165.1	58.9	0
CKTI-75-0025	75	75	25	15	65	4.5	2.68	114.0	68.0	0
CF1-80-0015	80	80	15	9	76	2.45	1.75	62.3	44.5	0
CF1-100-0015	100	100	15	9	80	2.45	1.75	62.3	44.5	0

CFHD-100-45S	100	100	45	27	130	5.12	3.44	130.1	87.38	null
CFHD-100-50S	100	100	50	30	135	5.12	3.44	130.1	87.38	null
CFHD-100-55S	100	100	55	33	140	5.12	3.44	130.1	87.38	null
CFHD-100-60S	100	100	60	36	145	5.12	3.44	130.1	87.38	null
CKT-100-0035	100	100	35	25	87	6.5	2.32	165.1	58.9	0
CKTI-100-0025	100	100	25	15	75	4.5	2.68	114.0	68.0	0
CF1-120-0010	120	120	10	6	71	2.45	1.75	62.3	44.5	0
CF1-150-0010	150	150	10	6	75	2.45	1.75	62.3	44.5	0
CFED-150-0030	150	150	30	20	90	6.5	2.7	163.6	67.6	null
CFED-150-20S	150	150	20	12	120	3.47	2.44	88.14	61.96	null
CFED-150-25S	150	150	25	150	130	3.47	2.44	88.14	61.96	null
CFED-150-30S	150	150	30	150	135	3.47	2.44	88.14	61.96	null
CKT-150-0030	150	150	30	20	90	6.5	2.66	165.1	67.5	0
CFHD-200-45S	200	200	45	27	215	5.38	4.56	136.65	115.82	null
CFHD-200-50S	200	200	50	30	220	5.38	4.56	136.65	115.82	null
CFHD-200-55S	200	200	55	33	225	5.38	4.56	136.65	115.82	null
CFHD-200-60S	200	200	60	36	280	5.38	4.56	136.65	115.82	null
CKT-200-0030	200	200	30	20	95	6.5	2.66	165.1	67.5	0
CF1-210-0009	210	210	9	54	76	2.45	1.75	62.3	44.5	null
CKT-250-0030	250	250	30	20	100	6.5	2.66	165.1	67.5	0
CFED-300-20S	300	300	20	12	120	3.62	3.44	91.95	87.38	null
CFED-300-25S	300	300	25	15	130	3.62	3.44	91.95	87.38	null
CFED-300-30S	300	300	30	18	140	3.62	3.44	91.95	87.38	null
CFHD-300-45S	300	300	45	27	225	5.38	4.56	136.65	115.82	null
CFHD-300-50S	300	300	50	30	230	5.38	4.56	136.65	115.82	null
CFHD-300-55S	300	300	55	33	235	5.38	4.56	136.65	115.82	null
C/MMHC-450-50S	450	450	55	33	320	7.9	6	210	153	NA
CFHP-450-45S	450	450	45	27	260	5.5	5.62	139.7	142.75	null
CFHP-450-50S	450	450	50	30	280	5.5	5.62	139.7	142.75	null
CFHP-450-55S	450	450	55	33	300	5.5	5.62	139.7	142.75	null
CFCD-500-3S	500	500	3	1.8	90	2.56	2.44	65.02	61.96	null
CFCD-500-5S	500	500	5	3	100	2.56	2.44	65.02	61.96	null
CFED-500-10S	500	500	10	6.0	140	3.81	4.56	96.77	115.82	null
CFED-500-15S	500	500	15	9.0	145	3.81	4.56	96.77	115.82	null
CFED-500-20S	500	500	20	12	150	3.81	4.56	96.77	115.82	null
CFED-500-25S	500	500	25	15	160	3.81	4.56	96.77	115.82	null
CFED-750-10S	750	750	10	6	145	3.81	4.56	96.77	115.82	null
CFED-750-15S	750	750	15	9.0	150	3.81	4.56	96.77	115.82	null
CFED-750-20S	750	750	20	12	155	3.81	4.56	96.77	115.82	null
CFED-750-25S	750	750	25	15	170	3.81	4.56	96.77	115.82	null
CFHP-750-0040	750	750	40	24	195	6.2	7.2	157.5	183	null
CFHP-750-0045	750	750	45	27	205	6.2	7.2	157.5	183	null
CFHP-750-0050	750	75	50	30	135	5.12	3.44	130.10	87.38	null
CFDS-1000-0007	1000	1000	7.5	4.5	85	4.62	3.8	117.35	96.5	null
CFDS-1000-0010	1000	1000	10	6	90	4.62	3.8	117.35	96.5	null
CFDS-1000-0012	1000	1000	12	7.2	95	4.62	3.8	117.35	96.5	null

CFED-1000-10S	1000	1000	10	6.0	150	3.81	4.56	96.77	115.82	null
CFED-1000-15S	1000	1000	15	9.0	155	3.81	4.56	96.77	115.82	null
CFED-1000-20S	1000	1000	20	12	160	3.81	4.56	96.77	115.82	null
CFED-1000-25S	1000	1000	25	15	180	3.81	4.56	96.77	115.82	null
CFHP-1000-40S	1000	1000	40	24	330	6.2	7.2	157.48	182.88	null
CFHP-1000-45S	1000	1000	45	27	340	6.2	7.2	157.48	182.88	null
CFHP-1000-50S	1000	1000	50	30	350	6.2	7.2	157.48	182.88	null
CWHF-1000-0040	1000	1000	40	24	530	6.46	7.2	164.1	182.9	null
CWHF-1000-0045	1000	1000	45	27	540	6.46	7.5	164.1	182.9	null
CWHF-1000-0050	1000	1000	50	30	550	6.46	7.2	164.1	182.9	null
CFDP-1500-10S	1500	1500	10	6	170	3.3	5.62	83.82	142.75	null
CFDP-1500-15S	1500	1500	15	9	190	3.3	5.62	83.82	142.75	null
CFDP-1500-7.5S	1500	1500	7.5	4.5	150	3.30	5.62	83.82	142.75	null
CFFP-1500-25S	1500	1500	25	15	310	5.78	8.2	146.8	208.3	null
CFFP-1500-30S	1500	1500	30	18	330	5.78	8.2	146.8	208.3	null
CFFP-1500-35S	1500	1500	35	21	350	5.78	8.2	146.8	208.3	null
CFDP-2000-10S	2000	2000	10	6	180	3.3	5.6	83.8	142.8	null
CFDP-2000-15S	2000	2000	15	9	200	3.3	5.6	83.8	142.8	null
CFDP-2000-7.5S	2000	2000	7.5	4.5	160	3.3	5.6	83.8	142.8	null
CFEP-2000-0010	2000	2000	10	6	180	4.35	5.92	110.49	150.37	null
CFEP-2000-0015	2000	2000	15	9	200	4.35	5.92	110.49	150.37	null
CFEP-2000-0020	2000	2000	20	12	225	4.35	5.92	110.49	150.37	null
CFFP-2000-25S	2000	2000	25	15	350	5.8	8.2	147	208.3	null
CFFP-2000-35S	2000	2000	35	21	390	5.8	8.2	147	208.3	null
CFHM-2000-0040	2000	2000	40	24	400	6.04	8.2	153.4	208.3	null
CFFM-2500-0020	2500	2500	20	12	350	5.78	8.2	147	208.3	null
CFFM-2500-0025	2500	2500	25	15	335	5.78	8.2	147	208.3	null
CFFM-2500-0030	2500	2500	30	18	400	5.78	8.2	147	208.3	null